

MAGALLANES MARBLE POL RECT 120X280

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A039587 120X280 6,50 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

PHYSICAL PROPERTIES				
Water absorption capacity	EN ISO 10545-03	< 0,5%		
Flexion resistance	EN ISO 10545-04	\Rightarrow 40 N/mm ²		
Thermal shock resistance	EN ISO 10545-09	It stands the test		
Frost resistance	EN ISO 10545-12	It stands the test		

CHEMICAL PROPERTIES				
EN ISO 10545-13	GLA			
EN ISO 10545-13	GLA			
EN ISO 10545-13	GA			
EN ISO 10545-13	GA			
EN ISO 10545-14	5			
	EN ISO 10545-13 EN ISO 10545-13 EN ISO 10545-13			









MAGALLANES MARBLE POL RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A039573 60x120 9,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

PHYSICAL PROPERTIES				
Water absorption capacity	EN ISO 10545-03	< 0,5%		
Flexion resistance	EN ISO 10545-04	$=> 35 \text{ N/mm}^2$		
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV		
Thermal shock resistance	EN ISO 10545-09	It stands the test		
Cracking resistance	EN ISO 10545-11	It stands the test		
Frost resistance	EN ISO 10545-12	It stands the test		

CHEMICAL PROPERTIES				
EN ISO 10545-13	GHB			
EN ISO 10545-13	GHB			
EN ISO 10545-13	GHB			
EN ISO 10545-13	GHB			
EN ISO 10545-14	5			
	EN ISO 10545-13 EN ISO 10545-13 EN ISO 10545-13			










LAVABO NISO IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040865 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO NISO DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040866 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO DE PIE ROMA

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040867 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040868 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040869 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040870 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL DOBLE 160

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040871 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040872 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040873 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040874 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA DOBLE 160

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040875 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test





