

OXYD JEWEL SOFT A 163X323X1,2

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A041835	163X323X1,2	12,00	PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







-rost resistance



OXYD JEWEL SOFT B 163X323X1,2

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A041843	163X323X1,2	0,00	PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES









OXYD JEWEL POL RECT 120X280

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A039516	120X280	6,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAI	PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 40 N/mm ²	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	





APE best for you

NATURAL JEWEL MATT RECT

60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)
A039106	60x120	8,90



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL	PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
СНЕМІСАІ	PROPERTIES		
CHEMICAL	FNOFENTIES		
Resistance to acids	EN ISO 10545-13	GLB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	

GROUP

PC BIA GL

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd)

UNE-EN 16165-C

0.00







RELIEF JEWEL MATT RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A039107	60x120	9,20	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL PROPERTIES			
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GLB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd)

UNE-EN 16165-C

0.00





This document is commercial, with an informative nature relative to tested pieces. It cannot be used in legal or administrative proceedings, nor as an expert opinion or documentary proof. Images are not contractual.



OXYD JEWEL POL RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A038962	60x120	9,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL	PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	III	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICAL	. PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	







LAVABO DE PIE ROMA NATURAL

JEWEL MATT S/G

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039894

0,00

GROUP

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO DE PIE ROMA OXYD JEWEL POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039895

0,00

) GROUP

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO AXEL 120 CEN. NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

THICKNESS (mm)

the second second

A039896

0,00

DIMENSIONS AND SURFACE PROPERTIES

GROUP

PC BIA GL

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO AXEL 120 CEN. OXYD

JEWEL POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

GROUP



0,00



PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO AXEL 120 IZQ. NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

- - -

THICKNESS (mm) GROUP



0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES









LAVABO AXEL 120 IZQ. OXYD JEWEL

POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039899

Frost resistance

0,00

n) GROUP PC BIA GL

The second second




PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test







JEWEL MATT

REFERENCE

APE

SIZE (cm)

THICKNESS (mm)

GROUP



0,00



PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO AXEL 120 DCHA. OXYD

JEWEL POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

m) GROUP



0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES





A CONTRACT

LAVABO AXEL DOBLE 160 NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

THICKNESS (mm)

GROUP

A039902

0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES









LAVABO AXEL DOBLE 160 OXYD

JEWEL POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039903

0,00

DIMENSIONS AND SURFACE PROPERTIES

GROUP


PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES











LAVABO ENEA 120 CEN. NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

THICKNESS (mm)

n) GROUP



0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







EN IS



LAVABO ENEA 119 CEN. OXYD

JEWEL POL C/GR

REFERENCE

SIZE (cm)

THICKNESS (mm) GROUP



0,00

DIMENSIONS AND SURFACE PROPERTIES

PC BIA GL

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES









LAVABO ENEA 120 IZQ. NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

THICKNESS (mm)

n) GROUP



0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES









LAVABO ENEA 119 IZQ. OXYD

JEWEL POL C/GR

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039907

0,00

GROUP PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO ENEA 120 DCHA. NATURAL

JEWEL MATT S/GR

REFERENCE

SIZE (cm)

THICKNESS (mm)



Frost resistance

GROUP

0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

IT I







LAVABO ENEA 119 DCHA. OXYD

JEWEL POL C/GR

REFERENCE

SIZE (cm)

THICKNESS (mm)



Frost resistance

0,00

GROUP







PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

NER TO AND







LAVABO ENEA DOBLE 160 NATURAL

JEWEL MATT



SIZE (cm)

THICKNESS (mm)

GROUP



Frost resistance

0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test









LAVABO ENEA DOBLE 160 OXYD

JEWEL POL C/GR



SIZE (cm)

THICKNESS (mm) GROUP



0,00

PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

Provide and and

CHEMICAL PROPERTIES







LAVABO NISO 84 IZQ. NATURAL

JEWEL MATT

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039912

0,00

GROUP PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO NISO 84 IZQ. OXYD JEWEL POL

REFERENCE

SIZE (cm)

THICKNESS (mm)

A039913

0,00

GROUP





DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES








LAVABO NISO IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040865		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO NISO DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040866		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







Frost resistance

LAVABO DE PIE ROMA

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP	
A040867		0,00	PC BIA GL	


DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test








LAVABO AXEL IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040868		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES






Erropt -----



LAVABO AXEL DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040869		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

It stands the test

CHEMICAL PROPERTIES





Fuent un sinter en

Frost resistance

EN ISO 10545-12


5-12

It sta



LAVABO AXEL CEN.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040870		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES








LAVABO AXEL DOBLE 160

SIZE (cm)

REFERENCE

0,00

THICKNESS (mm)GROUP0,00PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040872		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040873		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES






This document is commercial, with an informative nature relative to tested pieces. It cannot be used in legal or administrative proceedings, nor as an expert opinion or documentary proof. Images are not contractual.



LAVABO ENEA CEN.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040874		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA DOBLE 160

SIZE (cm)

REFERENCE

0,00

THICKNESS (mm)GROUP0,00PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test



